HOT WATER PRODUCTION AND STORAGE TANKS
GEISER INERTIA - **STORAGE**

lapesa



PRODUCT TECHNICAL SPECIFICATION
GEISER INERTIA – **GX4-800IF**

FCP_053_07_EN



DESCRIPTION:

Stainless steel **BUFFER TANK,** for closed heating and cooling circuits.
For vertical installation on floor. Manufactured in **STAINLESS STEEL AISI 304L**. Tank includes mould-injected **rigid PU**, with removable insulation system allows the tank to access through 800 mm wide doors, and padded PVC lining with zip closure. Tank also includes one side threaded connection for an optional electrical heating element.

MAIN CHARACTERISTICS			
Total capacity:	Total	800	L
Maximum working pressure:		6	bar
Maximum working temperature:		110	ºC
Connections:	eh: side connection	1 ½	" F
	p: upper connection	1	" M
	tm: sensor connections	½	" F
	R: side connection for electric element	2	" F
Energy efficiency:	ErP Class	C	
	Static heat losses acc. to EN12897	99	W
External dimensions:	D: Diameter	950	mm
	H: Height (without connections)	1840	mm
	Diagonal (without connections)	2070	mm
Packaging dimensions:	Width / Height	1030 x 1000 / 2040	mm
Weight:	Without packaging / With packaging	128 / 153	kg

ESPECIFICACIÓN TÉCNICA DE PRODUCTO EN GEISER INERCIA GX4-IF 0226-01

Lapesa Grupo Empresarial, S.L.
Pol. Industrial Malpica, Calle A, Parc. 1-A ⋆ ES-50016 ZARAGOZA (ESPAÑA)
Tel.: +34 976 465 180 / Fax: +34 976 574 393 ⋆ e-mail: lapesa@lapesa.es

CE BUREAU VERITAS Certification